

Powder paint (for exterior application)

Guide Formulation

Ingredients	Parts by weight	By percent
Emulsion powder	230,0	23,0%
KimaCell Cellulose ether	5,0	0,5%
Cellulose fibre	55,0	5,5%
Film forming agent	35,0	3,5%
Defoamer	4,0	0,4%
Dispersant, phosphate	3,0	0,3%
Calcite, 0 10 um	324,0	32,4%
Calcite, 0 2,5 um	140,0	14,0%
Talc,010mm	90,0	9,0%
Titanium dioxide	110,0	11,0%
Lime hydrate	4,0	0,4%
	1.000,0	100,00%